Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION  A. BUILDING  B. WING		(X3) DATE SURVEY COMPLETED  07/25/2012	
			301 W HON				
EDANCISCANISTANTUONVUEALTU MICUICANICIT I				AN CITY, IN 46360			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD BE COM		(X5) COMPLETE DATE
S 000	00 INITIAL COMMENTS			S 000			
	This visit was for inversione hospital licensure Complaint Number: IN00104707 Unsubstantiated: Latevidence  Date: 7/24/12 and 7/ Facility Number: 005 Surveyor: Linda Plur Public Health Nurse Stranciscan St. Anthois in compliance with Infection Control; 410	e complaint.  ck of sufficient  25/12  5015  nmer, R.N., Surveyor  ny HealthMichigan Ci 410 IAC 15-1.5-2,	ty				
	Pharmaceutical Services; and 410 IA	C 15-1.6.8, Other Servi ndiana Hospital Licensi					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE